

fecha	cod_periodo	pt_medida	tipo_transaccion	mwh_bloque1	precio_bloque1	mwh_bloque2	precio_bloque2	mwh_bloque3	precio_bloque3	mwh_bloque4	precio_bloque4	mwh_bloque5	precio_bloque5	tipo_fuente
2025-01-06	0	5_54250_001	i	20.0	14.23	20	15.39	20	16.55	10	17.71	0	0.00	Hidro
2025-01-06	1	5_54250_001	i	20.0	13.99	20	15.14	20	16.30	10	17.45	0	0.00	Hidro
2025-01-06	2	5_54250_001	i	20.0	13.75	20	14.90	20	16.05	10	17.20	0	0.00	Hidro
2025-01-06	3	5_54250_001	i	20.0	13.51	20	14.66	20	15.81	10	16.96	0	0.00	Hidro
2025-01-06	4	5_54250_001	i	20.0	13.28	20	14.42	20	15.57	10	16.72	0	0.00	Hidro
2025-01-06	5	5_54250_001	i	20.0	13.05	20	14.19	20	15.34	10	16.48	0	0.00	Hidro
2025-01-06	6	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	7	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	8	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	9	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	10	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	11	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	12	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	13	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	14	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	15	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	16	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	17	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	18	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	19	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	20	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	21	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	22	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	23	5_54250_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	0	5_58004_001	i	20.0	15.15	20	16.31	20	17.47	0	0.00	0	0.00	Hidro
2025-01-06	1	5_58004_001	i	20.0	14.91	20	16.06	20	17.22	0	0.00	0	0.00	Hidro
2025-01-06	2	5_58004_001	i	20.0	14.67	20	15.82	20	16.97	0	0.00	0	0.00	Hidro
2025-01-06	3	5_58004_001	i	20.0	14.43	20	15.58	20	16.73	0	0.00	0	0.00	Hidro
2025-01-06	4	5_58004_001	i	20.0	14.20	20	15.35	20	16.49	0	0.00	0	0.00	Hidro
2025-01-06	5	5_58004_001	i	20.0	13.97	20	15.12	20	16.26	0	0.00	0	0.00	Hidro
2025-01-06	6	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	7	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	8	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	9	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	10	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	11	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	12	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	13	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	14	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	15	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro

fecha	cod_periodo	pt_medida	tipo_transaccion	mwh_bloque1	precio_bloque1	mwh_bloque2	precio_bloque2	mwh_bloque3	precio_bloque3	mwh_bloque4	precio_bloque4	mwh_bloque5	precio_bloque5	tipo_fuente
2025-01-06	16	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	17	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	18	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	19	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	20	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	21	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	22	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	23	5_58004_001	i	0.0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	0	5_58104_001	i	36.0	16.11	36	17.26	36	18.42	36	19.58	36	20.73	Hidro
2025-01-06	1	5_58104_001	i	36.0	15.86	36	17.02	36	18.17	36	19.33	36	20.48	Hidro
2025-01-06	2	5_58104_001	i	36.0	15.62	36	16.78	36	17.93	36	19.08	36	20.23	Hidro
2025-01-06	3	5_58104_001	i	36.0	15.39	36	16.54	36	17.69	36	18.83	36	19.98	Hidro
2025-01-06	4	5_58104_001	i	36.0	15.16	36	16.30	36	17.45	36	18.60	36	19.74	Hidro
2025-01-06	5	5_58104_001	i	36.0	14.93	36	16.07	36	17.22	36	18.36	36	19.50	Hidro
2025-01-06	6	5_58104_001	i	36.0	14.71	36	15.85	36	16.99	36	18.13	36	19.27	Hidro
2025-01-06	7	5_58104_001	i	36.0	14.49	36	15.63	36	16.77	36	17.90	36	19.04	Hidro
2025-01-06	8	5_58104_001	i	36.0	14.27	36	15.41	36	16.54	36	17.68	36	18.82	Hidro
2025-01-06	9	5_58104_001	i	36.0	14.06	36	15.19	36	16.33	36	17.46	36	18.60	Hidro
2025-01-06	10	5_58104_001	i	36.0	13.85	36	14.98	36	16.11	36	17.25	36	18.38	Hidro
2025-01-06	11	5_58104_001	i	36.0	13.65	36	14.78	36	15.91	36	17.04	36	18.16	Hidro
2025-01-06	12	5_58104_001	i	36.0	13.45	36	14.57	36	15.70	36	16.83	36	17.95	Hidro
2025-01-06	13	5_58104_001	i	36.0	20.00	36	21.00	36	22.00	36	23.00	36	24.00	Hidro
2025-01-06	14	5_58104_001	i	36.0	20.00	36	21.00	36	22.00	36	23.00	36	24.00	Hidro
2025-01-06	15	5_58104_001	i	36.0	20.00	36	21.00	36	22.00	36	23.00	36	24.00	Hidro
2025-01-06	16	5_58104_001	i	36.0	20.00	36	21.00	36	22.00	36	23.00	36	24.00	Hidro
2025-01-06	17	5_58104_001	i	36.0	20.00	36	21.00	36	22.00	36	23.00	36	24.00	Hidro
2025-01-06	18	5_58104_001	i	36.0	20.00	36	21.00	36	22.00	36	23.00	36	24.00	Hidro
2025-01-06	19	5_58104_001	i	36.0	20.00	36	21.00	36	22.00	36	23.00	36	24.00	Hidro
2025-01-06	20	5_58104_001	i	36.0	20.00	36	21.00	36	22.00	36	23.00	36	24.00	Hidro
2025-01-06	21	5_58104_001	i	36.0	20.00	36	21.00	36	22.00	36	23.00	36	24.00	Hidro
2025-01-06	22	5_58104_001	i	36.0	11.62	36	12.72	36	13.83	36	14.94	36	16.04	Hidro
2025-01-06	23	5_58104_001	i	36.0	11.45	36	12.55	36	13.66	36	14.76	36	15.87	Hidro
2025-01-06	0	5_50900_001	i	171.0	247.50	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	1	5_50900_001	i	171.0	247.50	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	2	5_50900_001	i	171.0	247.50	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	3	5_50900_001	i	171.0	247.50	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	4	5_50900_001	i	171.0	247.50	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	5	5_50900_001	i	171.0	247.50	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	6	5_50900_001	i	171.0	247.50	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	7	5_50900_001	i	171.0	247.50	0	0.00	0	0.00	0	0.00	0	0.00	Termico

fecha	cod_periodo	pt_medida	tipo_transaccion	mwh_bloque1	precio_bloque1	mwh_bloque2	precio_bloque2	mwh_bloque3	precio_bloque3	mwh_bloque4	precio_bloque4	mwh_bloque5	precio_bloque5	tipo_fuente
2025-01-06	16	5_58304_001	i	114.0	609.00	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	17	5_58304_001	i	114.0	609.00	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	18	5_58304_001	i	114.0	609.00	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	19	5_58304_001	i	114.0	609.00	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	20	5_58304_001	i	114.0	609.00	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	21	5_58304_001	i	114.0	609.00	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	22	5_58304_001	i	114.0	609.00	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	23	5_58304_001	i	114.0	609.00	0	0.00	0	0.00	0	0.00	0	0.00	Termico
2025-01-06	0	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	1	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	2	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	3	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	4	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	5	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	6	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	7	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	8	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	9	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	10	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	11	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	12	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	13	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	14	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	15	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	16	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	17	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	18	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	19	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	20	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	21	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	22	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro
2025-01-06	23	5_50200_001	r	0.1	0.50	0	0.00	0	0.00	0	0.00	0	0.00	Hidro