

fecha	cod_perodo	pt_medida	tipo_transaccion	mvh_bloque1	precio_bloque1	mvh_bloque2	precio_bloque2	mvh_bloque3	precio_bloque3	mvh_bloque4	precio_bloque4	mvh_bloque5	precio_bloque5	tipo_fuente
2025-05-17	0	5_58104_001	i	180.0	65.00	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	1	5_58104_001	i	180.0	65.00	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	2	5_58104_001	i	180.0	65.00	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	3	5_58104_001	i	180.0	65.00	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	4	5_58104_001	i	180.0	65.00	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	5	5_58104_001	i	180.0	65.00	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	6	5_58104_001	i	180.0	65.00	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	7	5_58104_001	i	180.0	65.00	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	8	5_58104_001	i	180.0	66.91	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	9	5_58104_001	i	135.4	64.91	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	10	5_58104_001	i	135.4	64.71	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	11	5_58104_001	i	134.4	66.79	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	12	5_58104_001	i	134.4	68.06	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	13	5_58104_001	i	134.4	67.73	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	14	5_58104_001	i	134.4	70.07	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	15	5_58104_001	i	134.4	70.63	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	16	5_58104_001	i	134.4	70.33	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	17	5_58104_001	i	135.4	70.94	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	18	5_58104_001	i	132.0	72.65	3.4	78.84	0	0	0	0	0	0	Hidro
2025-05-17	19	5_58104_001	i	132.0	77.62	3.4	84.16	0	0	0	0	0	0	Hidro
2025-05-17	20	5_58104_001	i	132.0	74.06	3.4	80.35	0	0	0	0	0	0	Hidro
2025-05-17	21	5_58104_001	i	156.0	70.52	24.0	76.55	0	0	0	0	0	0	Hidro
2025-05-17	22	5_58104_001	i	180.0	65.00	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	23	5_58104_001	i	180.0	65.00	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	0	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	1	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	2	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	3	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	4	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	5	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	6	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	7	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	8	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	9	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	10	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	11	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	12	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	13	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	14	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	15	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico

fecha	cod_perodo	pt_medida	tipo_transaccion	nmvh_bloque1	precio_bloque1	nmvh_bloque2	precio_bloque2	nmvh_bloque3	precio_bloque3	nmvh_bloque4	precio_bloque4	nmvh_bloque5	precio_bloque5	tipo_fuente
2025-05-17	16	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	17	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	18	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	19	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	20	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	21	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	22	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	23	5_50900_001	i	194.0	246.00	35.0	475.65	0	0	0	0	0	0	Termico
2025-05-17	0	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	1	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	2	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	3	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	4	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	5	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	6	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	7	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	8	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	9	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	10	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	11	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	12	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	13	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	14	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	15	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	16	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	17	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	18	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	19	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	20	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	21	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	22	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	23	5_50350_001	i	9.0	267.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	0	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	1	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	2	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	3	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	4	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	5	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	6	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	7	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico

fecha	cod_periodo	pt_medida	tipo_transaccion	mvh_bloque1	precio_bloque1	mvh_bloque2	precio_bloque2	mvh_bloque3	precio_bloque3	mvh_bloque4	precio_bloque4	mvh_bloque5	precio_bloque5	tipo_fuente
2025-05-17	8	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	9	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	10	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	11	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	12	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	13	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	14	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	15	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	16	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	17	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	18	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	19	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	20	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	21	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	22	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	23	5_58200_001	i	13.0	294.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	0	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	1	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	2	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	3	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	4	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	5	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	6	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	7	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	8	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	9	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	10	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	11	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	12	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	13	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	14	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	15	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	16	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	17	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	18	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	19	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	20	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	21	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	22	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico
2025-05-17	23	5_58300_001	i	35.0	441.00	0.0	0.00	0	0	0	0	0	0	Termico

fecha	cod_perodo	pt_medida	tipo_transaccion	mvh_bloque1	precio_bloque1	mvh_bloque2	precio_bloque2	mvh_bloque3	precio_bloque3	mvh_bloque4	precio_bloque4	mvh_bloque5	precio_bloque5	tipo_fuente
2025-05-17	0	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	1	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	2	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	3	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	4	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	5	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	6	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	7	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	8	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	9	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	10	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	11	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	12	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	13	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	14	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	15	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	16	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	17	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	18	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	19	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	20	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	21	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	22	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	23	5_58304_001	i	35.0	447.00	114.0	611.55	0	0	0	0	0	0	Termico
2025-05-17	0	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	1	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	2	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	3	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	4	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	5	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	6	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	7	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	8	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	9	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	10	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	11	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	12	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	13	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	14	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	15	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro

fecha	cod_periodo	pt_medida	tipo_transaccion	mvh_bloque1	precio_bloque1	mvh_bloque2	precio_bloque2	mvh_bloque3	precio_bloque3	mvh_bloque4	precio_bloque4	mvh_bloque5	precio_bloque5	tipo_fuente
2025-05-17	16	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	17	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	18	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	19	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	20	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	21	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	22	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro
2025-05-17	23	5_50200_001	r	0.1	0.50	0.0	0.00	0	0	0	0	0	0	Hidro